

**BOWERS & WILKINS HTM71 S2
CENTRE SPEAKER**

\$1,999.00




SKU: HTM71 S2

Category: [Centre Channel Speakers](#)

VARIATIONS

Image	SKU	Price	Description	Finish
	HTM71s2 WHT	\$1,999.00		Matte White
	HTM71s2 BLK	\$1,999.00		Gloss Black

Image	SKU	Price	Description	Finish
	HTM71s2 Rosenut	\$1,999.00		Rosenut

GALLERY IMAGES



PRODUCT DESCRIPTION

Bring the breathtaking clarity and definition of studio sound home with the new 700 Series. Replacing the CM Series, the range combines studio-grade 800 Series Diamond technologies with purpose-built innovations to elevate home audio to an entirely new level. And all this from room-friendly cabinets designed to fit beautifully into your home environment. The new 700 Series. Inspired by recording studios. Made for living rooms.

This large three-way centre-channel speaker delivers unprecedented power and transparency, for totally convincing voice reproduction. It's designed to be paired with larger speakers in the range, such as the 703 floorstanders.

1

KEY FEATURES

Carbon Dome tweeter

Carbon Dome tweeters are a brand new technology purpose-built for the 700 Series. Delivering a



dramatic improvement on the aluminium double-dome tweeter, they raise the breakup threshold to 47kHz, for pinpoint imaging accuracy and detail.

Continuum Cone

First introduced with the 800 Series Diamond, the Continuum cone represents the biggest step-change in midrange performance since Kevlar®. Its woven, coated material provides highly controlled break-up, resulting in a more open, neutral midrange.

Aerofoil Profile bass cone

Developed using advanced computer modeling techniques, the Aerofoil Profile bass cone has a variable thickness, providing stiffness and rigidity where it's needed most. The result: deep and dynamic bass.

SPECIFICATIONS

Description: 3-way vented-box system

Drive units: 1x ø25mm (1 in) Decoupled Carbon Dome high-frequency, 1x ø100mm (4 in) Continuum cone FST midrange

2x ø165mm (6.5 in) Aerofoil profile bass

Frequency range: -6dB at 45Hz and 33kHz

Frequency response: 50Hz - 28kHz ±3dB

Sensitivity: 89dB spl (2.83Vrms, 1m)

Nominal impedance: 8 Ohm (minimum 4.0 Ohm)

Recommended amplifier power: 30W - 100W into 8 Ohm

Dimensions (WxHxD): 590 x 225 x 301mm (including grill and terminals)

Net weight: 18.3kg

Finishes: Rosenut, Gloss Black, Satin White

Grille: Black, Grey (Satin White only)