

**BOWERS & WILKINS HTM72 S2
CENTRE SPEAKER**

\$1,299.00




SKU: HTM72 S2

Category: [Centre Channel Speakers](#)

VARIATIONS

| Image | SKU | Price | Description | Finish |
|---|---------------|--------------|--------------------|---------------|
|  | HTM72s2 WHT | \$1,299.00 | | Matte White |
|  | HTM62s2 Black | \$1,299.00 | | Gloss Black |

| Image | SKU | Price | Description | Finish |
|---|-----------------|------------|-------------|---------|
|  | HTM72s2 Rosenut | \$1,299.00 | | Rosenut |

GALLERY IMAGES



PRODUCT DESCRIPTION

Bring the breathtaking clarity and definition of studio sound home with the new 700 Series. Replacing the CM Series, the range combines studio-grade 800 Series Diamond technologies with purpose-built innovations to elevate home audio to an entirely new level. And all this from room-friendly cabinets designed to fit beautifully into your home environment. The new 700 Series. Inspired by recording studios. Made for living rooms.

This high-performance two-way centre speaker is a great choice for home cinema set-ups in smaller rooms, where space is at a premium. Partner it up with the more compact 700 Series speakers, such as the 706 or the 704.

1

KEY FEATURES

Carbon Dome tweeter

Carbon Dome tweeters are a brand new technology purpose-built for the 700 Series. Delivering a



dramatic improvement on the aluminium double-dome tweeter, they raise the breakup threshold to 47kHz, for pinpoint imaging accuracy and detail.

Continuum Cone

First introduced with the 800 Series Diamond, the Continuum cone represents the biggest step-change in midrange performance since Kevlar®. Its woven, coated material provides highly controlled break-up, resulting in a more open, neutral midrange.

SPECIFICATIONS

Description: 2-way vented-box system

Drive units: 1x ø25mm (1 in) Decoupled Carbon Dome high-frequency, 2x ø130mm (5 in) Continuum cone bass/midrange

Frequency range: -6dB at 48Hz and 33kHz

Frequency response: 70Hz - 28kHz \pm 3dB

Sensitivity: 87dB spl (2.83Vrms, 1m)

Nominal impedance: 8 Ohm (minimum 4.3 Ohm)

Recommended amplifier power: 30W - 120W into 8 Ohm

Dimensions (WxHxD): 480 x 167 x 275mm (including grill and terminals)

Net weight: 9.1kg

Finishes: Rosenut, Gloss Black, Satin White

Grille: Black, Grey (Satin White only)