

**ISOTEK EVO3 AQUARIUS 6 OUTLET
HIGH CURRENT POWER FILTER WITH
ELITE POWER CABLE (EX-DEMO,
SILVER)**

~~\$3,848.00~~ **\$2,699.00**

SKU: Aquarius ex-demo

Categories: [Clearance & Ex-Demo Items](#),
[Power Filters & Conditioners](#)



PRODUCT DESCRIPTION

Aquarius is a six-way mains conditioning component that sits squarely in the middle of IsoTek's range, above the likes of the entry-level Sirius and below the high-end Sigmas, Nova and Titan. It sports two high-current and four medium-current outlets, all individually filtered and fully isolated from one another, together with a newly designed aluminium casing and host of enhancements under the lid, some trickled down from IsoTek's top-end components, others newly developed and made available for the first time in Aquarius.

A full 16 Amps available from its two high-current outlets ensures musical transients are entirely unrestricted. Thermo-magnetic fusing contributes to this enhanced delivery, as does the use of a 16A IEC C20 inlet to connect Aquarius to the mains. Easily distinguished from standard IEC plugs and sockets because their pins are horizontal instead of vertical, IEC C20 connectors enable superior current delivery compared to the C13 plug and C14 socket most commonly found on audio equipment.

The four medium-current outlets now feature IsoTek's Adaptive Gating technology an auto-sensing filter stage that adapts to the current draw of the load, thus tailoring the filtering process to suit the component attached to each individual outlet. This proprietary technology first appeared in the high-end Nova and Sigmas power conditioners; Aquarius delivers it at a significantly lower price.

The effect that Aquarius has on a system's sound, compared to the same system without conditioning, is unequivocal. The noise floor drops and the sound gains greater focus, with reduced grain and improved

clarity. Bass is tighter and better defined, treble gains space and 'air', and the overall musical performance appears more solid and dynamic, and hence more 'real'.

1

KEY FEATURES

- Removes Common Mode and Differential Mode mains noise.
 - RFI reduction 60dB.
- Six unique conditioning stages ensure optimal isolation between all outlets, eliminating Differential Mode cross-contamination.
- K ERP© (Kirchoff's Equal Resistance Path) ensures equal resistance and equal power delivery to all outlets. No outlet gets power before the next, a common problem with other power products which daisy chain outlets together.
- 67,500A of instantaneous protection, featuring IsoTek's unique sequential protection system.
 - Internal wiring; solid core silver plated OFC copper with FEP and virtual air dielectric technology.
- Two high-current outlets delivering 3,680W continuous. Four medium-current outlets delivering 1,150W continuous power.
 - Full system upgrade for both audio and home cinema / visual usage.
 - Improves sound and picture quality.
 - Protects your sensitive electronics from power surges and voltage spikes.
 - Suitable for all electronics including power amplifiers.
 - Multi award winning design.
 - Easy to install, plug in and play.

SPECIFICATIONS

Number of outlets: 6
Outlets 1-2 (high current): 16A
Outlets 3-6 (medium current): 5A
Mains inlet: 16A IEC C20
Mains voltage: 100-240V / 50-60Hz
Total available power (230V): 3680W
Total transient power (high current): 18400W
Dimensions (WxHxD): 444 x 85 x 305mm
Weight (boxed): 9Kg

CRITIC REVIEWS

[Click to read the reviews!](#)



This iframe contains the logic required to handle Ajax powered Gravity Forms.