

**MUSICAL FIDELITY M6SI  
INTEGRATED AMPLIFIER**

**\$4,999.00**



**SKU:** M6si

**Category:** [2 Channel Amplifiers](#)

**VARIATIONS**

Image	SKU	Price	Description	Finish
	M6SIS	\$4,999.00		Silver
	M6SIB	\$4,999.00		Black

**GALLERY IMAGES**



## PRODUCT DESCRIPTION

At Musical Fidelity, the M6si is something of a destination product. The M6si offers such excellent performance, facilities and power that unless you are seeking the most exotic high-end sound quality, you may never need another amplifier.

Internally, the M6si is configured as 2 independent monobloc power amps with a separate pre-amp. It is, in fact, a pre-amp with 2 monobloc power amps that just happen to share the same casework. At 220wpc, it boasts very low distortion, outstanding noise ratio and extremely flat frequency response. Its inputs are phono (MM/MC), 4 line level, 1 balanced XLR and 1 USB 'B' up to 24bit 96kHz asynchronous.

The M6 combination of high power, high current and extraordinary stability means that it can drive any loudspeaker with ease.

## KEY FEATURES

- 220W Per Channel
- Excellent technical performance
  - Amazing load driving ability, unconditional stability will drive any loudspeaker
- Wide range of useful inputs including asynchronous USB and switchable MM/MC Phono
  - Preamp output
- Internally it is a separate preamp with two independent monobloc power amps; effectively a separates system in a box
  - Excellent, hunky build quality

## SPECIFICATIONS

**Power output:** 220 Watts per channel into 8 Ohms



**THD (+ noise):** <0.007 % typical (20Hz - 20 kHz)

**Signal to Noise Ratio:** >107dB 'A' - weighted

**Frequency Response:** 10Hz to 20 kHz (+0, -0.1dB)

**Inputs:** 4x Line Level RCA, 1x Line Level XLR Balanced, 1x USB type 'B' connector - asynchronous data stream at up to 24-bit/96kHz, 1 x switchable phono input, Trigger in

**Outputs:** Trigger out, Fixed line level output, Variable pre-amp output

**Dimensions (WxHxD):** 440 x 125 x 400mm

**Weight:** 16.6 kg